# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name DRY 100

Product Use Description Adsorbents

Manufacturer or suppliers : Forsch Polymer Corp.

details

3025 S Wyandot St. Englewood, CO. 80110 www.forschpolymer.com

Telephone

fax (303) 322-9611

: (303) 322-7378

In case of emergency call

(303) 548-7716

Bill@forschpolymer.com

# **SECTION 2. HAZARDS IDENTIFICATION Emergency Overview**

Form : powder

Color : white to off-white

Odor : none

Hazard Summary : Repeated or prolonged exposure may irritate eyes, skin and

respiratory system. When first wetted, the product can heat up to

the boiling point of water. Flood with water to cool material.

**Potential Health Effects** 

Skin : May cause skin irritation.

The product gets hot as it first adsorbs water.

Eyes : Dust and/or product may cause eye discomfort and/or

irritation seen as tearing and reddening.

1/10

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

Ingestion : The product gets hot as it first adsorbs water.

Bums to moist body tissue can result if contact is prolonged.

Inhalation : Exposure to dust particles generated from this material may

cause irritation of the respiratory tract.

Chronic Exposure : Prolonged or repeated inhalation may cause lung damage.

Primary Routes of Entry : Contact with skin and eyes.

Exposure may also occur via inhalation or ingestion if product

dust is generated.

### Classification of the substance or mixture

Not a hazardous substance or mixture.

Precautionary statements : Prevention:

Use personal protective equipment as required.

Hazards not otherwise

ctassified

: The product gets hot as it first adsorbs water.

### Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature : Mixture

Chemical Name CAS-No. Concentration

Zeolite, cuboidal, crystalline, synthetic, non-fibrous 1318-02-1 100.00 %

Note : Composition as shown represents the chemical composition of the product and is not

representing the composition for inventory purposes. See Section 15 for inventory

information.

### **SECTION 4. FIRST AID MEASURES**

Inhalation : Remove to fresh air. If symptoms persist, call a physician.

Page 2 / 10

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

Skin contact : Wash off with soap and plenty of water. If skin irritation persists,

Call a physician

Eve contact : Rinse immediately with plenty of water for at least 15 minutes. If

eye irritation persists, consult a physician.

Ingestion : Drink at least 2 glasses of water. Obtain medical attention.

Never give anything by mouth to an unconscious person.

Notes to physician

**Treatment** : This product is a desiccant and generates heat as it adsorbs

water. The used product can contain material of a hazardous

nature. Identify that material and treat symptomatically.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Not combustible.

> Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards during

firefighting

: The product itself does not burn.

The used product can retain material of a hazardous nature. Identify that material and inform the fire fighters.

for firefighters

Special protective equipment : In the case of respirable dust and/or fumes, use self-contained

breathing apparatus and dust impervious protective suit.

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions For personal protection see section 8.

No special environmental precautions required. **Environmental precautions** 

Sweep, shovel or vacuum spilled product into appropriate Methods for cleaning up

containers (do not use a vacuum if material has contacted a

hydrocarbon material).

Pick up and arrange disposal without creating dust. Never return spills in original containers for re-use.

Spilled product should be disposed of in accordance with all

Page 3 / 10

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

applicable government regulations.

### SECTION 7. HANDLING AND STORAGE

## Handling

Handling : Handle and open container with care.

Avoid dust formation.

Avoid contact with skin and eyes.

Provide an electrical ground connection during loading and transfer operations to avoid static discharge in an explosive atmosphere and to prevent persons handling the product

from receiving static shocks.

A copy of UOP's booklet, "Precautions & Safe Practices for Handling Zeolite Molecular Sieve Adsorbents in Process Units", can be obtained from your UOP representative at no cost.

### **Storage**

Requirements for storage areas and containers

: Store in original container.

Keep in a dry piece.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures : Handle in accordance with good industrial hygiene and safety

practice.

Engineering measures : Ensure adequate ventilation, especially in confined areas.

Eye protection : Safety glasses

Safety goggles

Hand protection : Protective gloves

Skin and body protection : Work uniform and gloves to prevent prolonged contact.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory

equipment.

Air-purifying respirator with NIOSH classification N-95 filter or P-95 (or equivalent) if oil/liquid aerosols are present (42

CFR 84).

## **Exposure Guidelines**

Components	CAS-No.	Value	Control	Unda Ba	sis
Components	CAS-NO.	value	Control	UDUA Da	1212

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

			parameters	to	
Zeolite, cuboi crystalline, synthetic, nor fibrous	1318-02-1	TWA: time weighte d average	1 mg/m3	2008	ACGIH US, ACGIH Threshold Limit Values
Further information	Form of exposure : Respirable fraction.				

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : powder

Color : white to off-white

Odor : none

pH : Note: Not applicable

Melting point/freezing point : > 400 °C

Boiling point/boiling range : Note: Not applicable

Flash point : Note: Not applicable

Flammability : Not applicable

Lower explosion limit : Note: Not applicable

Upper explosion limit : Note: Not applicable

Vapor pressure : Note: Not applicable

Vapor density : Note: Not applicable

Density > 2.0 g/cm3

5/10

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

Specific gravity : Note: Not applicable

Water solubility : Note: insoluble

Solubility in other solvents : Note: no data available

Partition coefficient:

n-octanol/water

: Note: no data available

Ignition temperature : Note: Not applicable

Viscosity, kinematic : Note: Not applicable

Bulk density : Note: For further information, refer to the product technical data

sheet.

### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : Stable

Incompatible materials to

avoid

: Sudden contact with high concentrations of chemicals having

high heats of adsorption such as olefins, HCI, etc.

When first wetted, the product can heat up to the boiling point of

water. Flood with water to cool material.

Hazardous decomposition

products

: No decomposition if used as directed.

Hydrocarbons and other materials that contact the product during normal use can be retained on The product. It is reasonable to expect that decomposition products will come

from these retained materials of use.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute oral toxicity : LD50: > 5,110 mg/kg

Species: Rat

Page 6 / 10

# **DRY 100**

Version 1.2 \_\_\_\_\_Revision Date 02/09/2015 \_\_\_\_\_\_ Print Date 03/16/2015

Acute inhalation toxicity : LCO: > 3.35 mg/l

Exposure time: 4 h Species: Rat

Acute dermal toxicity : LD50: > 2,000 mg/kg

Species: Rabbit

Skin irritation : Species: Rabbit

Classification: Not classified as a skin irritant in animal testing.

Eye irritation : Species: Rabbit

Classification: Not classified as an eye irritant in animal testing.

Further information : Note: The toxicological data has been taken from products of

similar composition.

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

Toxicity to fish : LC50: > 680 mg/l

Exposure time: 96 h

Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other: EC50: 2,808 mg/i

aquatic invertebrates Exposure time: 24 h

Species: Daphnia magna (Water flea)

Toxicity to algae : EC50: > 328 mg/l

Exposure time: 96 h

Species: scenedesmus subspicatus

Elimination information (persistence and degradability)

Bioaccumulation : Note: no data available

Page 7 / 10

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

Mobility : Note: no data available

Biodegradability : Note: no data available

### Further information on ecology

Additional ecological

information

: Additional data is available to professional users on request.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods : This product (in its fresh unused state) is not listed by generic

name or trademark name in the U.S. EPA's RCRA regulations

and does not possess any of the four identifying

characteristics of hazardous waste (ignitability, corrosivity,

reactivity or toxicity).

Materials of a hazardous nature that contact the product during normal use may be retained on this product. The user of the product must identify the hazards associated with the retained

material in order to assess the waste disposal options.

# **SECTION 14. TRANSPORT INFORMATION**

**DOT** Not dangerous goods

**TDG** Not dangerous goods

IATA Not dangerous goods

IMDG Not dangerous goods

### **SECTION 15. REGULATORY INFORMATION**

### **Inventories**

Control Act

US. Toxic Substances

: On the inventory, or in compliance with the inventory

Australia. Industrial

: On the inventory, or in compliance with the inventory

Chemical (Notification and

Assessment) Act

8/10

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

Canada. Canadian **Environmental Protection** Act (CEPA). Domestic Substances List (DSL)

: All components of this product are on the Canadian DSL.

Japan. Kashin-Hou Law List

: On the inventory, or in compliance with the inventory

Korea. Toxic Chemical Control Law (TCCL) List On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act

: On the inventory, or in compliance with the inventory

China. Inventory of Existing **Chemical Substances** 

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as

: On the inventory, or in compliance with the inventory

published by ERMA New Zealand

Note

: Zeolites are considered Statutory Mixtures for Inventory

Purposes.

## **National regulatory information**

**SARA 302 Components** : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

This material does not contain any chemical components with **SARA 313 Components** 

> known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards : No SARA Hazards

# **DRY 100**

Version 1.2 Revision Date 02/09/2015 Print Date 03/16/2015

California Prop. 65 : This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

WHMIS Classification : Not Rated

This product has been classified according to the hazard criteria

of the CPR and the MSDS contains all of the information required

by the CPR.

### **SECTION 16. OTHER INFORMATION**

		HMIS III	NFPA
Health hazard	:	1	1
Flammability		0	0
Physical Hazard	:	1	
Instability			1

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

## **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date 10/26/2012

Page	10 / 10