

# SAFETY DATA SHEET

## SECTION 1: IDENTIFICATION

### 1.1 PRODUCT IDENTIFIER

**Product Name:** POL 7600B

**Product Code:** POL 7600B

### 1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

**Product Use:** Architectural Coating and Waterproofing

### 1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

**Name/Address:** Forsch Polymer Corp.  
3025 S Wyandot St.  
Englewood, Co. 80014  
USA

**Telephone Number:** 303-322-9611

**Email:** [Bill@forschpolymer.com](mailto:Bill@forschpolymer.com)

**Website:** [James@forschpolymer.com](mailto:James@forschpolymer.com)

### 1.4 EMERGENCY TELEPHONE NUMBER

For Chemical Emergency  
Spill, Leak, Fire, Exposure, or Incident  
303-548-7716

## SECTION 2: HAZARD(S) IDENTIFICATION

### 2.1 CLASSIFICATION OF THE CHEMICAL

**Hazard class:**

| HAZARD CLASSIFICATION                                       | CATEGORY |
|---|----------|
| Skin Corrosion/Irritation                                   | 2        |
| Eye Damage/Irritation                                       | 2A       |
| Toxic to Reproduction                                       | 2        |
| STOT SE - Specific Toxic Organ Toxicity (Single Exposure)   | 3        |
| STOT RE - Specific Toxic Organ Toxicity (Repeated Exposure) | 2        |
| Aspiration Hazard   | 1        |
| Flammable Liquids   | 2        |

### 2.2 LABEL ELEMENTS

**Hazard pictogram:** GHS02; GHS07; GHS08



# SAFETY DATA SHEET

|                          |  |
|--------------------------|--|
| <b>Signal word:</b>      | Danger   |
| <b>Hazard statement:</b> | Highly flammable liquid and vapor<br>Causes skin irritation<br>Causes serious eye irritation<br>May cause drowsiness or dizziness<br>Suspected of damaging the unborn child<br>May cause damage to organs <neuro, auditory> through prolonged or repeated exposure <inhalation>.   |
| <b>Prevention:</b>       | Obtain special instructions before use.<br>Do not handle until all safety precautions have been read and understood.<br>Keep away from heat, hot surfaces/sparks/open flames/hot surfaces. -No smoking.<br>Keep container tightly closed.<br>Ground/bond container and receiving equipment.<br>Use explosion-proof electrical/ventilating/lighting/equipment.<br>Use only non-sparking tools.<br>Take precautionary measures against static discharge.<br>Do not breathe dust/fume/gas/mist/vapors/spray.<br>Wash thoroughly after handling.<br>Use only outdoors or in a well-ventilated area.<br>Wear protective gloves/protective clothing/eye protection/face protection.  |
| <b>Response:</b>         | In case of fire: Use water fog, foam, dry chemical powder, carbon dioxide (CO <sub>2</sub> ) to extinguish.<br>Specific treatment (see Section 8 on this label).<br>If on skin (or hair): Remove/Take off immediately all contaminated clothing.<br>Rinse skin with water/shower.<br>Take off contaminated clothing and wash it before reuse.<br>If skin irritation occurs: Get medical advice/attention.<br>If inhaled: Remove person to fresh air and keep comfortable for breathing.<br>Call a poison center/doctor if you feel unwell.<br>If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.<br>If eye irritation persists: Get medical advice/attention. |
| <b>Storage:</b>          | Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.   |
| <b>Disposal:</b>         | Dispose of contents and container in accordance with all local, regional, national and international regulations.  |

## 2.3 ADDITIONAL INFORMATION

**Main symptoms:** Prolonged exposure may cause chronic effects. Suspected of damaging the unborn child. May cause drowsiness and dizziness. Headache. Nausea. Vomiting. Skin irritation. May cause redness and pain. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Hazards not otherwise specified:** Harmful to aquatic life with long lasting effects.

23.6% of the mixture consists of ingredient(s) of unknown acute toxicity

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# SAFETY DATA SHEET

## 3.1 MIXTURES

| Material                        | CAS No.     | Weight %* |
|---------------------------------|-------------|-----------|
| Toluene                         | 108-88-3    | 10-30%    |
| Titanium dioxide (dust)         | 13463-67-7  | 10-30%    |
| Butanone                        | 78-93-3     | 10-30%    |
| Silicon dioxide                 | 7631-86-9   | 1-5%      |
| Zinc borate                     | 138265-88-0 | 1-5%      |
| 2,2,4-Trimethyl-1,3-pentanediol | 144-19-4    | 0.1-1.0%  |

\*The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

## SECTION 4: FIRST-AID MEASURES

### 4.1 DESCRIPTION OF THE FIRST AID MEASURES

#### General information:

Where there is potential for exposure: restrict access to authorized persons; provide specific activity training to operators to minimize exposures. If you feel unwell, seek medical advice (show the label where possible). Take off all contaminated clothing immediately. Wash contaminated clothing before reuse. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist. If breathing is difficult, give oxygen if possible or assisted ventilation, (do not use mouth to mouth).

#### Skin contact:

Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.

#### Eye contact:

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

#### Ingestion:

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

### 4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Prolonged exposure may cause chronic effects.

Suspected of damaging the unborn child.

May cause drowsiness and dizziness. Headache. Nausea. Vomiting.

Skin irritation. May cause redness and pain.

Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### 4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

#### Note to physicians:

Treat symptomatically. Symptoms may be delayed. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

If inhalation occurs, signs and symptoms may include coughing, choking, wheezing, difficulty in breathing, chest congestion, and shortness of breath and may cause transient central nervous system (CNS) depression. In case of ingestion, Ipecac-induced emesis is not recommended.

# SAFETY DATA SHEET

Consider use of charcoal as a slurry (240mL water/30 g charcoal). Usual dose: 25 to 100 g in adults. If determined necessary (and under qualified medical supervision), the stomach should be emptied by gastric lavage with the airway protected by endotracheal intubation.

Specific treatments: In case of accident or if you feel unwell, seek medical advice (show the label or SDS where possible).

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1 EXTINGUISHING MEDIA

General hazards: Highly flammable liquid and vapor

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: Do not use water jet as an extinguisher as this will spread the fire.

### 5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Specific hazards: Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

Products of combustion: May include, and are not limited to: oxides of carbon. Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### 5.3 Special protective equipment and precautions for fire-fighters (PPE)

Special protective equipment for fire-fighters:

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do it without risk.

Special fire-fighting procedures: Keep upwind of fire. Move containers from fire area if you can do it without risk.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained.

### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for containment: Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning-up: Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. For waste disposal, see Section 13 of the SDS.

Large spills: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Prevent product from entering drains.

# SAFETY DATA SHEET

|                                   |  |
|-----------------------------------|--|
| <b>Small spills:</b>              | Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.<br>Never return spills to original containers for re-use. |
| <b>Environmental precautions:</b> | Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases.  |

## SECTION 7: HANDLING AND STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING

|                                       |   |
|---------------------------------------|---|
| <b>Precautions for Safe handling:</b> | Vapors may form explosive mixtures with air. Do not handle or store near an open flame, heat or other sources of ignition. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| <b>General hygiene advice:</b>        | Ensure that medical personnel are aware of the materials(s) involved, and take precautions to protect themselves.   |

### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

|                                       |   |
|---------------------------------------|---|
| <b>Storage:</b>                       | Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Keep container tightly closed. Store in a cool and well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). |
| <b>Specific use:</b>                  | Architectural Coating and Waterproofing   |
| <b>Technical measures:</b>            | Vapors may form explosive mixtures with air. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment.   |
| <b>Incompatible materials:</b>        | None known  |
| <b>Safe storage:</b>                  | Store away from incompatible materials.   |
| <b>Safe packaging material:</b>       | Keep in original container.   |
| <b>Precautions:</b>                   | Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges.   |
| <b>Safe handling advice:</b>          | Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Take precautionary measures against static discharges. Use personal protection recommended in Section 8 of the SDS.  |
| <b>Suitable storage conditions:</b>   | Keep away from heat, sparks and open flame. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Keep in an area equipped with sprinklers.   |
| <b>Handling-technical measures:</b>   | Use non-sparking tools and explosion-proof equipment. All equipment used when handling this product must be grounded.   |
| <b>Local and general ventilation:</b> | Provide adequate ventilation.   |

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 CONTROL PARAMETERS

|                            |  |
|----------------------------|--|
| <b>Control parameters:</b> | Follow standard monitoring procedures. |
| <b>Exposure limits:</b>    |  |

# SAFETY DATA SHEET

---

## Toluene

NIOSH REL:  
TWA 100 ppm (375 mg/m<sup>3</sup>) ST 150 ppm (560 mg/m<sup>3</sup>)  
OSHA PELt:  
TWA 200 ppm C 300 ppm 500 ppm (10-minute maximum peak)  
TLV: 50ppm as TWA; (skin); A4 (not classifiable as a human carcinogen); BEI issued; (ACGIH 2004).  
MAK: 50 ppm, 190 mg/m<sup>3</sup>; Peak limitation category: 11(4); Pregnancy risk group: C; Skin absorption (H); (DFG 2004).  
EU OEL ( selected): 50 ppm, 192 mg/m<sup>3</sup> as TWA; 100 ppm as STEL;.

## Titanium dioxide (dust)

NIOSH REL: Ca See Appendix A  
OSHA PELt: TWA 15 mg/m<sup>3</sup>

## Butanone

OSHA:  
PEL-TWA ppm: 200  
PEL-TWA mg/m<sup>3</sup>: 590  
NIOSH:  
REL-TWA ppm: 200  
REL-TWA mg/m<sup>3</sup>: 590  
REL-STEL ppm: 300  
REL-STEL mg/m<sup>3</sup>: 885  
IDLH ppm: 3000

## Silicon dioxide

NIOSH REL: TWA 6 mg/m<sup>3</sup>  
OSHA PELt: TWA 20 mppcf (80 mg/m<sup>3</sup>/%SiO<sub>2</sub>) See Appendix C (Mineral Dusts)

## Zinc borate

ACGIH/TLV: 10 mg/m<sup>3</sup> Cal  
OSHA:  
PEL: 10 mg/m<sup>3</sup>  
PEL (total dust): 15 mg/m<sup>3</sup>  
PEL (Respirable dust): 5 mg/m<sup>3</sup>

## 8.2 EXPOSURE CONTROLS

### Engineering measures to reduce exposure:

Explosion-proof general and local exhaust ventilation. Eye wash facilities and emergency shower must be available when handling this product.

## 8.3 INDIVIDUAL PROTECTIVE MEASURES

|                                  |   |
|----------------------------------|---|
| <b>General:</b>                  | Eye wash fountain and emergency showers are recommended. Use personal protective equipment as required.   |
| <b>Eye protection:</b>           | Wear safety glasses with side shields (or goggles).   |
| <b>Hand protection:</b>          | Wear appropriate chemical resistant gloves.   |
| <b>Respiratory protection:</b>   | If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. |
| <b>Skin and body protection:</b> | Wear suitable protective clothing.  |
| <b>Hygiene measures:</b>         | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking,  |

# SAFETY DATA SHEET

and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.  
**Control parameters:** Follow standard monitoring procedures.  
**Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

**Environmental exposure controls:** Inform appropriate managerial or supervisory personnel of all environmental releases.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

|   |                      |
|---|----------------------|
| <b>Appearance:</b>                              | White liquid         |
| <b>Color:</b>                                   | White                |
| <b>Form:</b>                                    | Liquid               |
| <b>Odor:</b>                                    | Strong solvent       |
| <b>Odor Threshold:</b>                          | Not available        |
| <b>Physical State:</b>                          | Liquid               |
| <b>pH (at 20°C):</b>                            | Not available        |
| <b>Melting Point/Freezing Point:</b>            | Not available        |
| <b>Initial Boiling Point and Boiling Range:</b> | Not available        |
| <b>Flash Point:</b>                             | 25°F (-3.9°C)        |
| <b>Evaporation Rate:</b>                        | Not available        |
| <b>Flammability (solid, gaseous):</b>           | Not Flammable        |
| <b>Lower Flammability/Explosive Limit:</b>      | Not available        |
| <b>Upper Flammability/Explosive Limit:</b>      | Not available        |
| <b>Evaporation rate:</b>                        | Not available        |
| <b>Vapor Pressure (mm Hg @38°C):</b>            | Not available        |
| <b>Vapor Density:</b>                           | Not available        |
| <b>Density (lb/gal):</b>                        | 10.696               |
| <b>Relative Density/Specific Gravity:</b>       | 1.28                 |
| <b>Solubility in water/miscibility:</b>         | Not soluble in water |
| <b>Partition coefficient: n-octanol/water:</b>  | Not available        |
| <b>Auto-ignition Temperature:</b>               | Not available        |
| <b>Decomposition Temperature:</b>               | Not available        |
| <b>Viscosity (at 25°C) g/L:</b>                 | 113 ku               |
| <b>Oxidizing Properties:</b>                    | Not available        |
| <b>Explosive Properties:</b>                    | Not available        |
| <b>VOC:</b>                                     | <500 g/L             |
| <b>Solvent content - Organic:</b>               | 0%                   |
| <b>Solvent content - Water:</b>                 | 0%                   |
| <b>Solvent content - Solids:</b>                | 58.9%                |
| <b>Other information:</b>                       | Not available        |
| <b>Incompatibilities:</b>                       | Not available        |

## SECTION 10: STABILITY AND REACTIVITY

**10.1 REACTIVITY** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2 CHEMICAL STABILITY**  
**Chemical stability:** Material is stable under normal conditions.

# SAFETY DATA SHEET

**Materials to avoid:** The product is stable and non-reactive under normal conditions of use, storage and transport.

## 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

**Hazardous reactions:** No dangerous reaction known under conditions of normal use.

**10.4 CONDITIONS TO AVOID** Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.

**10.5 INCOMPATIBLE MATERIALS** Strong oxidizing agents.

## 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

**Hazardous decomposition products:** No hazardous decomposition products are known.

**Hazardous polymerization:** Does not occur.

**Other information:** Not available.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

**Acute toxicity:** May cause drowsiness and dizziness. Headache. Nausea. Vomiting. Causes skin irritation. Causes serious eye irritation.

**Likely routes of exposure:** Skin contact. Eye contact. Inhalation.

**Eye:** Causes serious eye irritation.

**Skin:** Causes skin irritation.

**Ingestion:** Not an expected route of exposure. Expected to be a low ingestion hazard.

**Inhalation:** May cause drowsiness and dizziness. Headache. Nausea. Vomiting.

### LD50/LC50 values relevant to this classification:

#### Toluene

Oral rat LD50 >5000 mg/kg

Oral rat LD50 > 5580 mg/kg bw

Inhal rat LC50 > 20 mg/L

Inhal mice LC50 5320 ppm

Inhal mice LC50 6405 7436 ppm

Inhal mice LC50 5879 6281 ppm

Inhal rat LC50 12.5 28.8 mg/L air

Derm rabbit LD50 > 5000 mg/kg bw

#### Titanium dioxide (dust)

Oral mouse LD50 > 5000 mg/kg bw

Oral rat LD50 > 5000 mg/kg bw

Oral rat LD50 > 2000 mg/kg bw

Oral rat LD50 > 11000 mg/kg bw

Inhal rat LC50 3.43-5.09 mg/L air

Inhal rat LC50 > 3.56 mg/L air

Inhal rat LC50 > 2.28 mg/L air

#### Butanone

Oral rat LD50 mg/kg bw

Oral rat LD50 2193 mg/kg bw

# SAFETY DATA SHEET

## Silicon dioxide

Oral rat LD50 > 5000 mg/kg bw xxx  
 Oral rat LD50 >10000 mg/kg bw  
 Oral rat LD50 > 5620 mg/kg bw  
 Oral mouse LD50 > 3160 mg/kg bw  
 Oral rat LD50 mg/kg bw  
 Oral rat LDO > 20000 mg/kg bw  
 Oral rat LD50 >3300 mg/kg bw  
 Oral rat LDO 10000 mg/kg bw  
 Inhal rat LCO > 0.69 mg/L air no deaths  
 Inhal rat LCO > 0.14mg/L air no deaths  
 Inhal rat LCO > 58.8 mg/L air no deaths  
 Derm rabbit LD50 > 2000 mg/kg bw  
 Derm rabbit LD50 > 5000 mg/kg bw

### Calculated overall chemical acute toxicity values for this formulation:

| Calculated overall Chemical Acute Toxicity Values |             |               |
|---|-------------|---------------|
| LC50 (inhalation)                                 | LD50 (oral) | LD50 (dermal) |
| >5 mg/kg (dust and mist)                          | >2000 mg/kg | >2000 mg/kg   |

## 11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

|                                       |   |
|---------------------------------------|---|
| <b>Skin corrosion/irritation:</b>     | Causes skin irritation.   |
| <b>Serious eye damage/irritation:</b> | Causes serious eye irritation.  |
| <b>Respiratory sensitization:</b>     | Based on available data, this product is not expected to cause respiratory sensitization.   |
| <b>Skin sensitization:</b>            | Based on available data, this product is not expected to cause skin sensitization.  |
| <b>Symptoms and target organs:</b>    | <p>May cause damage to organs &lt;neuro, auditory&gt; through prolonged or repeated exposure &lt;inhalation&gt;. Suspected of damaging the unborn child. May cause drowsiness and dizziness. Headache. Nausea. Vomiting. Skin irritation. May cause redness and pain. Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.</p> |
| <b>Chronic health effects:</b>        | May cause damage to organs <neuro, auditory> through prolonged or repeated exposure <inhalation>. Suspected of damaging the unborn child.   |
| <b>Carcinogenicity:</b>               | This product is not classified as a carcinogen. Due to the form of the product, exposure to the potentially carcinogenic components is not expected.  |

| Material                | OSHA(0)    | ACGIH(G) | NTP(N)     | ARC(I) |
|-------------------------|------------|----------|------------|--------|
| Titanium dioxide (dust) | Not listed | A4       | Not listed | 2B     |

SOURCE AGENCY CARCINOGEN

OSHA (01=Occupational Safety and Health Administration  
 Ca/Yes = Expected to be carcinogenic  
 not listed = Not expected to be carcinogenic

ACGIH (G) =American Conference of Governmental Industrial Hygienists AI  
 =Confirmed human carcinogen  
 A2 =Suspected human carcinogen  
 A3 =Animal carcinogen  
 A4 =Not classifiable as a human carcinogen  
 A5 =Not suspected as a human carcinogen not listed = Not expected to be carcinogenic

CLASSIFICATIONS:

NTP (N1 =National Toxicology Program  
 K =Known to be a carcinogen  
 R = Reasonably anticipated to be a carcinogen  
 not listed = Not expected to be carcinogenic

ARC (11=International Agency for Research on Cancer  
 1 =Carcinogenic to humans  
 2A =Probably carcinogenic to humans  
 2B =Possibly carcinogenic to humans  
 3 =Not classifiable as to its carcinogenicity to humans  
 4 =Probably not carcinogenic to humans  
 not listed = Not expected to be carcinogenic

|   |  |
|---|--|
| <b>Mutagenicity:</b>                          | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Reproductive Toxicity:</b>                 | Suspected of damaging the unborn child.  |
| <b>Specific Target Organ Toxicity (STOT):</b> |  |
| <b>Single Exposure:</b>                       | May cause drowsiness or dizziness.   |
| <b>Repeated Exposure:</b>                     | May cause damage to organs <neuro, auditory> through prolonged or  |

# SAFETY DATA SHEET

**Aspiration Toxicity:** repeated exposure <inhalation>. Based on available data, this product is not expected to cause aspiration toxicity.

**Other Information:** Not available.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1 ECOTOXICITY

**Ecotoxicity:** Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

**Acute aquatic toxicity:** Harmful to aquatic life.

**Chronic toxicity:** Harmful to aquatic life with long lasting effects.

**Environmental effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### 12.2 PERSISTENCE AND DEGRADABILITY

**Persistence/biodegradability:** The product contains substances which are not expected to be readily biodegradable.

### 12.3 BIOACCUMULATIVE POTENTIAL

**Bioaccumulation:** No data available.

### 12.4 MOBILITY

**Mobility:** No data available.

**Mobility in soil:** No data available.

**Mobility in non-soil:** No data available.

### 12.5 OTHER ADVERSE EFFECTS

**Ozone layer:** No data available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS

**Disposal method:** This material must be disposed of in accordance with all local, state, provincial, and federal regulations.

**Contaminated packaging:** Since emptied containers may retain product residue, follow label warnings even after container is emptied. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**EU codes:** The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Residual waste:** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Disposal instructions:** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Waste codes:** D001: Waste Flammable material with a flash point <140°F(<60°C) The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Other disposal recommendations:** None

## SECTION 14: TRANSPORT INFORMATION

DOT Non-Bulk  
UN: UN1263

# SAFETY DATA SHEET

**Proper shipping name:** Paint  
**Hazard class:** 3

**DOT Bulk**

**UN:** UN1263  
**Proper shipping name:** Paint  
**Hazard class:** 3

**Packing group:** PG II

**Packing group:** PG II

**IMDG**

**UN:** UN1263  
**Proper shipping name:** Paint  
**Hazard class:** 3

**Packing group:** PG II

**ICAO/IATA**

**UN:** UN1263  
**Proper shipping name:** Paint  
**Hazard class:** 3

**Packing group:** PG II

**Reportable quantity:** Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material

**SECTION 15: REGULATORY INFORMATION**

**15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE**

**CHEMICAL US Federal Regulations:**

**U.S. OSHA (Occupational Safety and Health Administration) Specifically Regulated Substances (29 CFR 1910.1001-1050)**

No components of this product are present at concentration greater than or equal to 0.1% and are identified as a carcinogen or potential carcinogen by OSHA.

**SARA/CERCLA reporting requirements:**

The following components of this product are found at concentrations greater than or equal to 0.1% and are subject to SARA/CERCLA reporting requirements.

| Material | SARA 302 (EHSs) TPQ | SARA 304 EHSs RQ | CERCLA RQ | SARA 313 listed | RCRA CODE | CAA 112(r) TQ |
|----------|---------------------|------------------|-----------|-----------------|-----------|---------------|
| Toluene  | Not listed          | Not listed       | 1,000     | 313             | U220      | Not listed    |
| Butanone | Not listed          | Not listed       | 5,000     | Not listed      | U159      | Not listed    |

**State Right-to-Know Regulations**

The following components of this product are found at concentrations greater than or equal to 0.1% and subject to state Right-to-Know reporting requirements or are listed as California Proposition 65 chemicals at any concentration.

| Material | California Proposition 65 | Massachusetts Right-to-Know | Minnesota Employee Right-to-Know | New Jersey Community Environmental Hazard Right-to-Know | New Jersey Right-to-Know Substance | Pennsylvania Right-to-Know | Rhode Island Right-to-Know |
|----------|---------------------------|-----------------------------|----------------------------------|---|------------------------------------|----------------------------|----------------------------|
|          |                           |                             |                                  |   |                                    |                            |                            |

# SAFETY DATA SHEET

|                         |            |            |            | Know       |            |            |            |
|-------------------------|------------|------------|------------|------------|------------|------------|------------|
| Toluene                 | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        |
| Titanium dioxide (dust) | Not listed | Yes        | Yes        | Not listed | Yes        | Yes        | Not listed |
| Butanone                | Not listed | Not listed | Not listed | Not listed | Not listed | Not listed | Yes        |
| Silicon dioxide         | Not listed | Yes        | Yes        | Not listed | Not listed | Yes        | Not listed |
| Zirconium dioxide       | Not listed | Yes        | Not listed | Not listed | Not listed | Not listed | Not listed |
| Soybean oil, epoxidized | Not listed | Not listed | Not listed | Not listed | Not listed | Yes        | Not listed |
| vinyl chloride          | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        |
| Ethylbenzene            | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        |
| Naphthalene             | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        | Yes        |


## Global Inventories:

| Notification status: |                                 |
|----------------------|---------------------------------|
| US - TSCA            | Not all substances are listed   |
| Canada -DSL          | Not all substances are listed   |
| Canada - NDSL        | At least 1 substances is listed |
| EU - EINECS          | Not all substances are listed   |
| EU - ELINCS          | No substances are listed        |
| EU - NLP             | No substances are listed        |
| Australia — AICS     | All substances are listed       |
| China - EICSC        | All substances are listed       |
| Japan - ENCS         | Not all substances are listed   |
| Korea - KECI         | Not all substances are listed   |
| Taiwan - NECI        | All substances are listed       |
| New Zealand - NZIoC  | Not all substances are listed   |
| Philippine - PICCS   | Not all substances are listed   |

## EU - REACH Status:

A registration number is not available for substances in this mixture as the substances are exempted from registration, the annual tonnage does not require a registration or the registration is envisioned for a later registration deadline.

**CANADA — WHMIS (Workplace Hazardous Materials Information System) Classification:** B2, D2A, D2B



## MEXICO:

**Hazard Classification:** 2-3-0  
**Carcinogen Status:** No data available.

## SECTION 16: OTHER INFORMATION

## HMIS (Hazardous Materials Identification System) rating:

**Health:** 2\*  
**Flammability:** 3

# SAFETY DATA SHEET

Physical: 0

NFPA 704 (National Fire Protection Association) rating:

|            |   |
|------------|---|
| Health     | 2 |
| Fire       | 3 |
| Reactivity | 0 |

## Legend:

|        |  |
|--------|--|
| DOT    | US Department of Transportation  |
| IATA   | International Air Transport Association  |
| ICAO   | International Civil Aviation Organization  |
| IMDG   | International Maritime Dangerous Goods   |
| ACGIH  | American Conference of Governmental Industrial Hygienists                          |
| NTP    | National Toxicology Program  |
| IARC   | International Agency for Research on Cancer  |
| PPE    | Personal Protective Equipment  |
| RCRA   | Resource Conservation and Recovery Act   |
| CAA    | Clean Air Act  |
| SARA   | Superfund Amendments and Reauthorization Act                                       |
| EPCRA  | Emergency Planning and Community Right-to-Know Act                                 |
| WHMIS  | Workplace Hazardous Materials Information System                                   |
| EU     | European Union   |
| REACH  | Regulation on Registration, Evaluation, Authorisation and Restriction of Chemicals |
| CERCLA | Comprehensive Environmental Response, Compensation and Liability Act               |
| TSCA   | US Toxic Substances Control Act (TSCA)   |
| DSL    | Canada Domestic Substance List (DSL)   |
| NDSL   | Canada Non-Domestic Substance List (NDSL)  |
| EINECS | European Inventory of Existing Commercial Chemical Substances (EINECS)             |
| ELINCS | European List of Notified Chemical Substances (ELINCS)                             |
| NLP    | European list of No-longer Polymers (NLP)  |
| AICS   | Australian Inventory of Chemical Substances (AICS)                                 |
| EICSC  | China Existing Chemical Inventory - IECSC  |
| ENCS   | Japanese Existing and New Chemical Substances Inventory(ENCS)                      |
| KECI   | Korea Existing Chemicals Inventory(KECI)   |
| NECI   | Taiwan National Existing Chemical Inventory (NECI)                                 |
| NZIoC  | New Zealand Inventory of Chemicals (NZIoC)   |
| PICCS  | Philippine Inventory of Chemicals and Chemical Substances (PICCS)                  |
| HMIS   | Hazardous Materials Identification System  |
| NFPA   | National Fire Protection Association (NFPA)  |

Date of preparation: February 25, 2024

Version: 1.0

Revision Date: February 25, 2024

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Forsch Polymer Corp.

End of Safety Data Sheet